

Initiation and Engagement of Substance Use Disorder Treatment eCQM CMS137v12

Last modified on 10/08/2024 1:52 pm EDT

Description

Percentage of patients 13 years of age and older with a new substance use disorder(SUD) who received the following:

Two rates are reported

a. Percentage of patients who initiated treatment, including either an intervention or medication for the treatment of SUD within 14 days of the diagnosis

b. Percentage of patients who engaged in ongoing treatment, including two additional interventions or short-term medications, or one long-term medication for the treatment of SUD within 34 days of the initiation.

Guidance

This eCQM is a patient-based measure.

This version of the eCQM uses QDM version 5.6. Please refer to the eCQI resource center (<https://ecqi.healthit.gov/qdm>) for more information on the QDM

Initial Population

Patients age 13 years of age and older as of the start of the measurement period who were diagnosed with a new SUD episode during a visit between January 1 and November 14 of the measurement period.

Date of birth information can be entered in DrChrono in the patient chart under the **Demographics** tab with the **Patient's Date of Birth**.

AND

A diagnosis for a new SUD episode.

ICD-10 Codes

F10.10, F10.120, F10.121, F10.129, F10.130, F10.131, F10.132, F10.139, F10.14, F10.150, F10.151, F10.159, F10.180, F10.181, F10.182, F10.188, F10.19, F10.20, F10.220, F10.221, F10.229, F10.230, F10.231, F10.232, F10.239, F10.24, F10.250, F10.251, F10.259, F10.26, F10.27, F10.280, F10.281, F10.282, F10.288, F10.29, F11.10, F11.120, F11.121, F11.122, F11.129, F11.13, F11.14, F11.150, F11.151, F11.159, F11.181, F11.182, F11.188, F11.19, F11.20, F11.220, F11.221, F11.222, F11.229, F11.23, F11.24, F11.250, F11.251, F11.259, F11.281, F11.282, F11.288, F11.29, F12.10, F12.120, F12.121, F12.122, F12.129, F12.13, F12.150, F12.151, F12.159, F12.180, F12.188, F12.19, F12.20, F12.220, F12.221, F12.222, F12.229, F12.23, F12.250, F12.251, F12.259, F12.280, F12.288, F12.29, F13.10, F13.120, F13.121,

F13.129, F13.130, F13.131, F13.132, F13.139, F13.14, F13.150, F13.151, F13.159, F13.180, F13.181, F13.182, F13.188, F13.19, F13.20, F13.220, F13.221, F13.229, F13.230, F13.231, F13.232, F13.239, F13.24, , F13.250, F13.251, F13.259, F13.26, F13.27, F13.280, F13.281, F13.282, F13.288, F13.29, F14.10, F14.120, F14.121, F14.122, F14.129, F14.13, F14.14, F14.150, F14.151, F14.159, F14.180, F14.181, F14.182, F14.188, F14.19, F14.20, F14.220, F14.221, F14.222, F14.229, F14.23, F14.24, F14.250, F14.251, F14.259, F14.280, F14.281, F14.282, F14.288, F14.29, F15.10, F15.120, F15.121, F15.122, F15.129, F15.13, F15.14, F15.150, F15.151, F15.159, F15.180, F15.181, F15.182, F15.188, F15.19, F15.20, F15.220, F15.221, F15.222, F15.229, F15.23, F15.24, F15.250, F15.251, F15.259, F15.280, F15.281, F15.282, F15.288, F15.29, F16.10, F16.120, F16.121, F16.122, F16.129, F16.14, F16.150, F16.151, F16.159, F16.180, F16.183, F16.188, F16.19, F16.20, F16.220, F16.221, F16.229, F16.24, F16.250, F16.251, F16.259, F16.280, F16.283, F16.288, F16.29, F18.10, F18.120, F18.121, F18.129, F18.14, F18.150, F18.151, F18.159, F18.17, F18.180, F18.188, F18.19, F18.20, F18.220, F18.221, F18.229, F18.24, F18.250, F18.251, F18.259, F18.27, F18.280, F18.288, F18.29, F19.10, F19.120, F19.121, F19.122, F19.129, F19.130, F19.131, F19.132, F19.139, F19.14, F19.150, F19.151, F19.159, F19.16, F19.17, F19.180, F19.181, F19.182, F19.188, F19.19, F19.20, F19.220, F19.221, F19.222, F19.229, F19.230, F19.231, F19.232, F19.239, F19.24, F19.250, F19.251, F19.259, F19.26, F19.27, F19.280, F19.281, F19.282, F19.288, F19.29

ICD-10 Codes can be entered in any of the billing or assessment sections for the patient's visit or the problem list in the patient chart.

✕
Schedule Appointment

Appointment

Billing

Eligibility

Vitals

Growthcharts

Flags

Log Comm.

Revisions

Custom Data

MU Helper

Institutional Claim
 Patient SuperBill ▾
Clinical Note
Billing Details
Other Forms ▾

Billing Status

ICD Version

Patient Payment \$ Copay: \$20

Pre Authorization Approval

Referral #

Payment Profile

Billing Profile

Billing Pick List

Diagnosis Pick List

Credit Card Payment

HCFA Box 10 - Is patient's condition related to:

Employment

Auto Accident

Other Accident

Onset Date Type

Onset Date

Other Date Type

Other Date

Claim Billed: \$0.00
Adjustment: \$0.00
Insurer Paid: \$0.00
Patient Paid: \$0.00

ICD-10 Codes

#	Code	Description
1	F10.10	Alcohol abuse, uncomplicated ✕

CPT Codes

Code	Description	Price (\$)
------	-------------	------------

SNOMEDCT Codes

231475006, 191877009, 361150008, 10028000, 10327003, 10741871000119101, 10755041000119100, 1081000119105, 11047881000119101, 11048011000119103, 11387009, 1142050005, 12398281000119105, 12398651000119100, 125851000119106, 135301000119103, 135311000119100, 135321000119107, 1383008, 144981000119109, 145101000119102,

145121000119106, 145841000119107, 14784000, 15167005, 15277004, 154211000119108, 16236661000119100, 1686006, 18653004, 18689007, 191475009, 191476005, 191478006, 191480000, 191802004, 191804003, 191805002, 191811004, 191812006, 191819002, 191820008, 191825003, 191826002, 191831000, 191832007, 191837001, 191838006, 191843004, 191844005, 191849000, 191850000, 191853003, 191855005, 191856006, 191865004, 191867007, 191868002, 191882002, 191883007, 191891003, 191893000, 191894006, 191899001, 191900006, 191905001, 191906000, 191909007, 191912005, 191913000, 191916008, 191918009, 191919001, 191924003, 191925002, 19445006, 1973000, 20385005, 20876004, 21647008, 22574000, 230443000, 231461004, 231462006, 231468005, 231469002, 231470001, 231472009, 231473004, 231474005, 231477003, 231478008, 231479000, 231480002, 23601000119102, 2403008, 25753007, 26714005, 268640002, 268645007, 268646008, 268647004, 268648009, 275471001, 27956007, 281004, 284591009, 288021000119107, 288031000119105, 288461000119105, 28864000, 288851000119106, 288861000119108, 29212009, 29733004, 301643003, 30491001, 308742005, 312098001, 312936002, 31956009, 32009006, 32358001, 32875003, 34111000119108, 34938008, 361151007, 37344009, 38247002, 39807006, 39951001, 40571009, 41083005, 416714005, 417143004, 42344001, 425339005, 425885002, 426001001, 426095000, 426873000, 427205009, 427229002, 427327003, 428370001, 429692000, 43497001, 441527004, 442406005, 46975003, 47664006, 5002000, 50320000, 50933003, 51443000, 51493001, 52866005, 53050002, 53936005, 5444000, 5602001, 57588009, 59651006, 61104008, 61144001, 6348008, 63649001, 63983005, 64386003, 66590003, 699449003, 70328006, 70340006, 703845008, 703846009, 703847000, 703848005, 703849002, 703850002, 7052005, 70701004, 7071007, 70932007, 71328000, 713583005, 713862009, 714829008, 7200002, 723926008, 723927004, 723928009, 723929001, 723930006, 723933008, 723936000, 723937009, 724653003, 724655005,, 724656006, 724657002, 724658007, 724659004, 724660009, 724661008, 724662001, 724663006, 724664000, 724665004, 724666003, 724667007, 724668002, 724669005, 724670006, 724671005, 724672003, 724675001, 724688003, 724689006, 724690002, 724691003, 724692005, 724693000, 724695007, 724696008, 724700000, 724701001, 724702008, 724704009, 724706006, 724712001, 724714000, 724715004, 724720004, 724724008, 724725009, 724726005, 724727001, 724728006, 724732000, 73097000, 735750005, 737338002, 74851005, 74934004, 75122001, 75544000, 762320004, 762321000, 762322007, 762324008, 762325009, 762326005, 762327001, 762333005, 762334004, 762335003, 762336002, 762337006, 762338001, 762339009, 762340006, 762344002, 762345001, 762346000, 762517008, 762672001, 77355000, 78267003, 78358001, 785277001, 80868005, 817962007, 82339009, 83367009, 838527002, 84758004, 85005007, 85561006, 86325007, 8635005, 86391000119101, 86401000119104, 87132004, 87810006, 8837000, 88926005, 89451009, 91388009, 95661003, 97571000119109

Both SNOMEDCT and ICD-10 codes can be entered into a patient's chart under the **Problem List** section.

You can search by the ICD-10 or SNOMEDCT code. Select the code and the appointment and **save**.

Enter Problem ×

Problem: 10327003

ICD Version: Cocaine-induced mood disorder
snomed: 10327003 / icd10: F14.94

ICD10 code:

SnoMED CT code:

Status: active

Appointment:

-
- 4/13/2023 11:30AM
- 4/10/2023 09:20AM
- 4/06/2023 11:30AM
- 4/05/2023 11:30AM
- 3/30/2023 11:30AM
- 3/28/2023 01:40PM
- 3/24/2023 11:10AM
- 3/23/2023 11:30AM
- 3/22/2023 11:10AM

Appointment associated with this problem. Highly recommended for reporting accuracy.

Close Save Save and Add Another

Enter Problem ×

Problem: Cocaine-induced mood disorder

ICD Version: ICD-10

ICD10 code: F14.94

SnoMED CT code: 10327003

Status: active

Appointment:

-
- 4/13/2023 11:30AM
- 4/10/2023 09:20AM
- 4/06/2023 11:30AM
- 4/05/2023 11:30AM
- 3/30/2023 11:30AM
- 3/28/2023 01:40PM
- 3/24/2023 11:10AM
- 3/23/2023 11:30AM
- 3/22/2023 11:10AM

Appointment associated with this problem. Highly recommended for reporting accuracy.

Close Save Save and Add Another

During a Visit

CPT and HCPCS Codes: 98969, 98970, 98971, 98972, 99421, 99422, 99423, 99458, 98966, 98967, 98968, 99201, 99202, 99203, 99204, 99025, 991212, 99123, 99214, 99215, 99221, 99222, 99223, 99238, 99239, 99234, 99235, 99236, 99281, 99282, 99283, 99284, 99285, 99441, 99442, 99443 G2061, G2062, G2063, G0071, G2010, G2012

CPT and HCPCS codes can be entered into the billing section for the encounter. Below is an example from the appointment window.

Schedule Appointment

- Appointment
- Billing**
- Eligibility
- Vitals
- Growthcharts
- Flags
- Log Comm.
- Revisions
- Custom Data
- MU Helper

Institutional Claim

- Patient SuperBill
- Clinical Note
- Billing Details
- Other Forms

<p>Billing Status <input type="text"/></p> <p>ICD Version <input type="text" value="ICD-10"/></p> <p>Patient Payment \$ <input type="text" value="0"/> Copay: \$20 <input type="button" value="+"/></p> <p>Pre Authorization Approval <input type="text"/></p> <p>Referral # <input type="text"/></p> <p>Payment Profile <input type="text" value="Insurance"/></p> <p>Billing Profile <input type="text"/> <input type="button" value="+"/></p> <p>Billing Pick List <input type="text" value="Choose Codes from Pick List"/></p> <p>Diagnosis Pick List <input type="text" value="Choose Codes from Pt Problems"/></p> <p>Credit Card Payment <input type="button" value="Process Credit Card"/></p>	<p>HCFA Box 10 - Is patient's condition related to:</p> <p>Employment <input type="text" value="No"/></p> <p>Auto Accident <input type="text" value="No"/></p> <p>Other Accident <input type="text" value="No"/></p> <p>Onset Date Type <input type="text" value="Onset of Current Symptoms o"/></p> <p>Onset Date <input type="text"/></p> <p>Other Date Type <input type="text" value="- Other Date Type -"/></p> <p>Other Date <input type="text"/></p>
---	---

Claim Billed: \$0.00 Adjustment: \$0.00 Insurer Paid: \$0.00 Patient Paid: \$0.00

ICD-10 Codes

#	Code	Description
1	F10.10	Alcohol abuse, uncomplicated

ICD-9 Codes to Convert

#	Code	Description
---	------	-------------

NDC Codes

NDC Code	Quantity	Units	Line Item
----------	----------	-------	-----------

Custom Codes

Code	Description	Price (\$)
------	-------------	------------

CPT Codes

Code	Description	Price (\$)
1 99213	OFFICE O/P EST LOW 20-29 MIN	145.00

Modifiers:

Quantity/Minutes:

Diagnosis Pointers:

HCPCS Codes

Code	Description	Price (\$)
1 G2063	Qual nonmd est pt 21>min	0

Modifiers:

Denominator

Equals Initial Population

Denominator Exclusions

Exclude patients who are in hospice care for any part of the measurement period

Denominator Exceptions

None

Numerator

Numerator 1: Initiation of treatment includes either an intervention or medication for the treatment of SUD within 14 days of the new SUD episode.

Numerator 2: Engagement in ongoing SUD treatment within 34 days of initiation includes:

1. A long-acting SUD medication on the day after the initiation through 34 days after the initiation of treatment
2. One of the following options on the day after the initiation of treatment through 34 days after the initiation of treatment: a) two engagement visits, b) two engagement medication treatment events, c) one engagement visit and one engagement medication treatment event

Encounter Codes: 99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215, 99218, 99219, 99220, 99221, 99222, 99223, 99234, 99235, 99236, 99238, 99239, 99281, 99282, 99283, 99284, 99285

Online Assessments: 98969, 98970, 98971, 98972, 99421, 99422, 99423, 99458, G0071, G2010, G2012, G2061, G2062, G2063

Telephone Visit Codes: 98966, 98967, 98968, 99441, 99442, 99443

Psychotherapy Visit Codes: 90832, 90834, 90837

Medication Assisted Treatment HCPCS Codes: G2067, G2068, G2069, G2070, G2071, G2072, G2073, G2074, G2075, G2076, G2077, G2080, G2086, G2087, H0020, H0033

Psychotherapy Visit Codes: 90832, 90834, 90837

SNOMEDCT Codes

171047005	Drugs of addiction education (procedure)
20093000	Alcohol rehabilitation and detoxification (regime/therapy)
23915005	Combined alcohol and drug rehabilitation and detoxification (regime/therapy)
24165007	Alcoholism counseling (procedure)
266707007	Drug addiction therapy (regime/therapy)
310653000	Drug addiction therapy using methadone (regime/therapy)
313071005	Counseling for substance abuse (procedure)
370881007	Abuse prevention assessment (procedure)
370884004	Abuse prevention management (procedure)
385989002	Substance use therapy (regime/therapy)
386448003	Substance use prevention (procedure)
386449006	Substance use treatment: alcohol withdrawal (regime/therapy)
386450006	Substance use treatment: drug withdrawal (regime/therapy)
386451005	Substance use treatment: overdose (regime/therapy)
408933008	Substance abuse prevention (procedure)
408934002	Substance abuse prevention assessment (procedure)
408935001	Substance abuse prevention education (procedure)
408936000	Substance abuse prevention management (procedure)
408941008	Drug abuse prevention (procedure)
408942001	Drug abuse prevention assessment (procedure)
408943006	Drug abuse prevention education (procedure)
408944000	Drug abuse prevention management (procedure)
408945004	Alcohol abuse prevention (procedure)
408947007	Alcohol abuse prevention education (procedure)
408948002	Alcohol abuse prevention management (procedure)
410419007	Substance use surveillance (regime/therapy)
413473000	Counseling about alcohol consumption (procedure)
423416000	Substance use cessation case management (procedure)
424148004	Substance use cessation surveillance (regime/therapy)
424407005	Substance use cessation education, guidance, and counseling (procedure)
424589009	Substance use treatment: cessation (regime/therapy)
426928008	Prevention of opioid abuse (procedure)
429291000124102	Alcohol brief intervention (procedure)
56876005	Drug rehabilitation and detoxification (regime/therapy)
60112009	Drug addiction counseling (procedure)
707166002	Alcohol reduction program (regime/therapy)
720174008	Drug harm reduction program (regime/therapy)

- 720175009 Alcohol harm reduction program (regime/therapy)
- 720176005 Alcohol relapse prevention program (regime/therapy)
- 720177001 Drug relapse prevention program (regime/therapy)
- 737363002 Alcohol abuse surveillance (regime/therapy)
- 792901003 Drug addiction therapy using buprenorphine (regime/therapy)
- 792902005 Drug addiction therapy using buprenorphine and naloxone (regime/therapy)

SNOMEDCT codes can be entered in the patient's chart in the **Intervention** section of the **CQMs** tab.

Datetime	Code	Description	Value	
Mar 30, 2023	SNOMEDCT: 182922004	Dietary regime (regime/therapy)		
Dec 22, 2022	SNOMEDCT: 390864007	Referral for exercise therapy (procedure)		
Aug 26, 2022	SNOMEDCT: 413473000	Counseling about alcohol consumption (procedure)		
May 25, 2022	HPCPS: G8417	Bmi is documented above normal parameters and a follow-up plan is documented	Obesity (disorder)	

Next, enter the code directly or search for it. Select the appointment, ordered or performed, and click **Create**.

Create Intervention ✕

Intervention: Required

Appointment:

Substance use prevention (procedure)
 SNOMEDCT: 386448003
 Abuse prevention assessment (procedure)
 SNOMEDCT: 370881007
 Abuse prevention management (procedure)
 SNOMEDCT: 370884004
 Actions to lose weight (regime/therapy)
 SNOMEDCT: 248114003
 Admission by palliative care physician (procedure)
 SNOMEDCT: 305284002
 Admission to palliative care department (procedure)
 SNOMEDCT: 305381007

Type:

Alcohol abuse prevention (procedure)
 SNOMEDCT: 408945004
 Alcohol abuse prevention education (procedure)
 SNOMEDCT: 408947007
 Alcohol abuse prevention management (procedure)
 SNOMEDCT: 408948002

Datetime:

Alcohol abuse surveillance (regime/therapy)
 SNOMEDCT: 737363002
 Alcohol and/or drug services; methadone administration

Value:

Create

Create Intervention ✕

Intervention:

Appointment:

 4/13/2023 11:30AM
 4/10/2023 09:20AM
 4/06/2023 11:30AM
 4/05/2023 11:30AM
 3/30/2023 11:30AM
 3/28/2023 01:40PM
 3/24/2023 11:10AM
 3/23/2023 11:30AM
 3/22/2023 11:10AM
 Highly recommended

Type: Performed
 Order

Datetime:

SNOMEDCT:

Value: (optional)

Create

Medications can be prescribed in the patient's chart in the **Send eRx** tab.

- 1 ML buprenorphine 0.3 MG/ML Cartridge
- buprenorphine 74.2 MG Drug Implant
- 0.5 ML buprenorphine 200 MG/ML Prefilled Syringe
- 1.5 ML buprenorphine 200 MG/ML Prefilled Syringe
- 1 ML buprenorphine 0.3 MG/ML Injection
- naltrexone 380 MG Injection
- buprenorphine 2 MG / naloxone 0.5 MG Sublingual Film
- buprenorphine 8 MG / naloxone 2 MG Sublingual Film
- buprenorphine 4 MG / naloxone 1 MG Sublingual Film
- buprenorphine 12 MG / naloxone 3 MG Sublingual Film
- buprenorphine 1.4 MG / naloxone 0.36 MG Sublingual Tablet
- buprenorphine 5.7 MG / naloxone 1.4 MG Sublingual Tablet
- naltrexone hydrochloride 50 MG Oral Tablet
- buprenorphine 2.1 MG / naloxone 0.3 MG Buccal Film
- buprenorphine 4.2 MG / naloxone 0.7 MG Buccal Film
- buprenorphine 6.3 MG / naloxone 1 MG Buccal Film
- buprenorphine 11.4 MG / naloxone 2.9 MG Sublingual Tablet

buprenorphine 8.6 MG / naloxone 2.1 MG Sublingual Tablet
buprenorphine 2.9 MG / naloxone 0.71 MG Sublingual Tablet
buprenorphine 0.7 MG / naloxone 0.18 MG Sublingual Tablet
disulfiram 250 MG Oral Tablet
disulfiram 500 MG Oral Tablet
buprenorphine 2 MG Sublingual Tablet
buprenorphine 8 MG Sublingual Tablet
buprenorphine 2 MG / naloxone 0.5 MG Sublingual Tablet
buprenorphine 8 MG / naloxone 2 MG Sublingual Tablet
acamprosate calcium 333 MG Delayed Release Oral Tablet

Numerator Exclusions

Not applicable

[Measurements Information](#)
