Adding Medications to the Patient Medication List on the iPad

Last modified on 06/12/2025 1:19 pm EDT

You can quickly and easily add medications to a patient's chart on the iPad EHR. This article will guide you through the process.

Medications can be accessed through a few places in the app, but the quickest way is to tap on the patient's name and select **Medications**.

11:30 AM Tue Nov				•••		
Filters	Today√	S				Q +
Q Search Appointment		Sample Patient (Male 30 11/05/1991) v		(j)		
11/09/2021 Tue (1)		Pati	ent		Actions	
Sample Patient 11/09 11:45AM		e 💍	Patient Information		R Send eRx	Start Visit
		Ð	Patient History		🜭 Log Phone Call	
		E	Face Sheet		S Check Insurance Eligibility	
		#	Timeline		O Take Clinical Photo	
		÷	Problems	0	Opload Files	
		\otimes	Medications	1	😂 Send Referral	
		*	Allergies	0	🔁 Data Visualization	
		AB	Labs		Patient Education	
		~	Vitals		App Directory	
		P	Patient Flags		📔 Quick Charting	
		R	Appointment List		Apple Health App Data NO	
		ሔ	Family History			View All
		-*	Growth Charts			View All
		¥E	Patient Tasks	0		
	~	Ģ	Communication History			
	Dashboard			Niessage	5 <u>5</u> 1858.5	Account

Here you can view all the current medications in a patient's chart. Tap the (+) icon to add a new medication.

Close	Medications	(:)	\bigtriangledown	
Interactions (0)	Allergies (0)			
Lipitor 20 mg oral tablet 1 a day Indication: Started: N/A Prescribed: N/A				active RX

Enter the medication name in the search field. The results will display the medications by dosage from the Surescripts database. Tap on the medication to select it.

Amoxicillin		
	ng-62.5 mg oral tablet, extended release 000 mg-62.5 mg, dose form tablet	U
amoxicillin 125 mg oral tablet, id: d00088, route: oral, strength: 1		U
amoxicillin-clavulanate 250 m id: d00089, route: oral, strength: 2		U
amoxicillin-clavulanate 500 m id: d00089, route: oral, strength: 5		U
amoxicillin-clavulanate 875 m id: d00089, route: oral, strength: 8		U
amoxicillin 125 mg/5 mL oral s id: d00088, route: oral, strength: 1	suspension 25 mg/5 mL, dose form powder for reconstitution	U
amoxicillin-clavulanate 200 m id: d00089, route: oral, strength: 2	ng-28.5 mg oral tablet, chewable 00 mg-28.5 mg, dose form tablet	U
amoxicillin-clavulanate 200 m id: d00089, route: oral, strength: 2	n g-28.5 mg/5 mL oral liquid 200 mg-28.5 mg/5 mL, dose form powder for reconstitution	U
amoxicillin 200 mg/5 mL oral l id: d00088, route: oral, strength: 2	l iquid 200 mg/5 mL, dose form powder for reconstitution	U
ternal Notes		

Enter any other details for the medication and tap **Save** to add the medication to the patient's medication history. Repeat as necessary for additional medications.

K Medications	Add Medication	Save
amoxicillin-clavulanate 500 m	ig-125 mg oral tablet	
Free Text SIG		
2 a day		\$\$
Dispense	Refills	DAW
20	0	
Note to Pharmacy		
Indication		
Start Date	End Date	PRN
Order Status		Status
Internal Notes		

You can also access medications after selecting **Start Visit** from the main appointment screen under the **Medications & Allergies** tab under the H&P or SOAP templates. Tap the plus (+) icon to add a medication.

11:32 AM Tue Nov 9		হ 100% 🜠
Close		Q +
Visit Patient History		11/09 11:45AM Vitals Tools
H & P SOAP Additional	Medication (2) Allergy Interaction Medicati	ion History
O Check-In Information	Filters Show in Note: Yes 🔅 🕅	x / +
CC / History of Present Illness	Q Search Medication	
Med / Fam / Social History Medications & Allergies	amoxiciliin-clavulanate 500 mg-125 mg oral tablet Activ 2 a day Activ Indication: Started: NA Prescribed: NA	" 🖨 R
review of Systems	Lipitor 20 mg oral tablet Activ 1 a day Indication: Started: N/A Prescribed: N/A	^{ve} 🖨 R
Physical Exam		
Assessment		
🖊 Plan		
🧑 Meaningful Use Assistant		
(\$) Billing		
View Complete Note	0 Line	

If you are in the patient's chart, you can add medications by selecting **Medications & Allergies**. Tap the plus (+) icon to add a medication.

