

# Set Up ConnectEHR for FHIR

Last modified on 11/21/2025 3:29 pm EST

## Set up ConnectEHR | Activate users for ConnectEHR


To meet the MIPS Promoting Interoperability measure, [Provide Patients Electronic Access to Their Health Information](#), your practice must use our ONC Cures Edition FHIR API. To begin, you need to set up ConnectEHR for FHIR.

- Make sure to configure your FHIR APIs before your Promoting Interoperability reporting period begins. This ensures you receive the maximum possible points for the Provide Patients Electronic Access to Their Health Information measure.
- Complete the [MIPS FHIR API Request](#) form. An incomplete setup may affect your MIPS reporting.
- Once your setup is finished, you can use your ConnectEHR login credentials to access third-party provider apps.

## Set up ConnectEHR


Practice admin users can access **API Management** and set up users for ConnectEHR.

1. Select **Account > API**.
2. Select the **ConnectEHR Setup for FHIR** tab.



The **Connect EHR Setup** page opens.

3. Fill out the form and select **Connect**.




The screenshot displays the 'ConnectEHR Setup' form. Fields include: Practice Group (500588), Practice Name (Testside Primary Care), Phone (555-555-1234), Fax (Optional), Practice Email (placeholder), Practice Email Domain (me@mypractice.com's domain is mypractice), Street Address 1 (123 Anywhere St), Street Address 2 (Optional), City (Anywhere), State/Province (CA), ZIP/Postal Code (90000), and Country (United States). A blue 'Connect' button is at the bottom left. On the right, a 'Status' box shows 'Not Connected' and a 'FHIR Endpoint URL' field with 'No URL' and a copy icon.



Don't refresh your browser during this process. It may take several seconds (up to 20-30 in some cases) for the connected status to appear.


The status changes to **Connected**. If you are not connected, the status is **Not Connected**.



## Activate users for ConnectEHR

It is currently not necessary for individual users to activate ConnectEHR; however, the connection must be established at the practice level.

1. Under **User Management**, search for the user.
2. Select **Activate**



Under **Role**, **Clinician** is selected by default.

3. Enter a password.
4. Select **Activate**.

Activate User ✕

First Name

Last Name

User Name

Email

NPI

Role

Password

The user's status changes to **Active**.

4. Securely provide the password to the user.
-