

# Set Up ConnectEHR for FHIR

Last modified on 03/06/2025 11:53 am EST

To meet the [Provide Patients Electronic Access to Their Health Information](#) MIPS Promoting Interoperability measure, your practice must implement our [ONC Cures Edition Fast Healthcare Interoperability Resources \(FHIR\) API](#). To get started, you must set up ConnectEHR for FHIR.

Configure FHIR APIs before starting your Promoting Interoperability reporting period to earn the maximum points toward the [Provide Patients Electronic Access to Their Health Information](#) measure.


Fill out the [MIPS FHIR API Sign-Up Page](#) completely. Not completing this entire process may impact your MIPS reporting.

You can use the ConnectEHR login credentials for third-party provider apps.

## Set up ConnectEHR

Practice admin users can access **API Management** and set up users for ConnectEHR.


1. Select **Account > API**.
2. Select the **ConnectEHR Setup for FHIR** tab.



The screenshot shows the 'API Management' section with a sub-tab 'API' and a sub-tab 'ConnectEHR Setup for FHIR' which is highlighted with a red arrow. Below this is the 'ConnectEHR Setup' section with a note: 'Please complete and verify the below fields. Upon completion, a FHIR endpoint URL is created and displayed for future reference.'

The **Connect EHR Setup** page opens.

3. Fill out the form and then select **Connect**.



The screenshot shows the 'ConnectEHR Setup' form with the following fields: Practice Group (500588), Practice Name (Testside Primary Care), Phone (555-555-1234), Fax (Optional), Practice Email (test@mypractice.com), Practice Email Domain (me@mypractice.com's domain is mypractice), Street Address 1 (123 Anywhere St), Street Address 2 (Optional), City (Anywhere), State/Province (CA), ZIP/Postal Code (90000), and Country (United States). A blue 'Connect' button is at the bottom. On the right, a 'Status' box shows 'Not Connected' and a 'FHIR Endpoint URL' box shows 'No URL'.



Do not refresh your browser during this process. It may take several seconds (up to 20-30 in some cases) for the connected status to appear.

The status changes to **Connected** and a FHIR endpoint URL appears. If you are not connected, the status says **Not Connected**.

**Status**

Connected

**FHIR Endpoint URL**

*https://drchrono-fhirpresentation.everhealthsol*

## Activate users for ConnectEHR

It is currently not necessary for individual users to activate ConnectEHR; however, the connection must be established at the practice level.

1. Under **User Management**, search for the user.
2. Select **Activate**.

### User Management

Please select users and activate in order for them to access ConnectEHR.

| User Name | First Name | Last Name | Role | Status   | Action                     |
|-----------|------------|-----------|------|----------|----------------------------|
|           |            |           |      | Inactive | <a href="#">→ Activate</a> |

1-1 of 1 item

4. Under **Role**, **Clinician** is selected by default.
5. Enter a password.
6. Select **Activate**.

Activate User ✕

First Name

Last Name

User Name

Email

NPI

Role

Password

The user's status changes to **Active**.

4. Securely provide the password to the user.
-